

L Number	Hits	Search Text	DB	Time stamp
6	1	((US-5323394-\$).did.	USPAT	2004/04/15 09:28
7	1	((US-5323394-\$).did.) and (address near6 bridge)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 09:42
8	1	((US-5323394-\$).did.) and (ID near6 bridge)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 09:42
-	5442	path near3 find\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/08 10:52
-	782	((path near3 find\$5) and topology	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/08 13:55
-	91	370.clas. and 709.clas. and (path near3 find\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:08
-	346	((path near3 find\$5) and topology) and 370.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/08 13:55
-	892	370/254,255,256.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/08 13:56
-	943	370/351,357,381.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/08 13:56
-	1781	370/254,255,256.ccls. or 370/351,357,381.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:52
-	102	(370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/08 13:56
-	87	((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)) and (@ad<20001108 or @riad<20001108)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 11:35
-	63	((((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)) and (@ad<20001108 or @riad<20001108)) not (370.clas. and 709.clas. and (path near3 find\$5))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:09
-	332	370.clas. and 709.clas. and (path near3 select\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:28
-	62	370.clas. and 709.clas. and (path near3 find\$5) and topology	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:07
-	146	((((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 select\$5) and topology)) and (@ad<20001108 or @riad<20001108)) not (370.clas. and 709.clas. and (path near3 find\$5))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:06

-	196	((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 select\$5) and topology))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:07
-	158	((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 select\$5) and topology)) and (@ad<20001108 or @rlad<20001108)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:07
-	197	((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 select\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) or (370.clas. and 709.clas. and (path near3 find\$5) and topology and (@ad<20001108 or @rlad<20001108))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:08
-	51	370.clas. and 709.clas. and (path near3 find\$5) and topology and (@ad<20001108 or @rlad<20001108)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:08
-	91	370.clas. and 709.clas. and (path near3 find\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:09
-	63	((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) not (370.clas. and 709.clas. and (path near3 find\$5))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:09
-	154	(370.clas. and 709.clas. and (path near3 find\$5)) or (((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) not (370.clas. and 709.clas. and (path near3 find\$5)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:09
-	97	((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 select\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) or (370.clas. and 709.clas. and (path near3 find\$5) and topology and (@ad<20001108 or @rlad<20001108))) not ((370.clas. and 709.clas. and (path near3 find\$5)) or (((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) not (370.clas. and 709.clas. and (path near3 find\$5))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:27
-	15585	(network near5 (model or emulat\$4 or simulat\$4))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:27
-	46481	(path near3 (find\$5 or select\$5))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:28
-	1314	((network near5 (model or emulat\$4 or simulat\$4))) and ((path near3 (find\$5 or select\$5)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:29
-	99	((network near5 (model or emulat\$4 or simulat\$4))) same ((path near3 (find\$5 or select\$5)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:29
-	87	((network near5 (model or emulat\$4 or simulat\$4))) same ((path near3 (find\$5 or select\$5))) not (((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 select\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) or (370.clas. and 709.clas. and (path near3 find\$5) and topology and (@ad<20001108 or @rlad<20001108))) or ((370.clas. and 709.clas. and (path near3 find\$5)) or (((370/254,255,256.ccls. or 370/351,357,381.ccls.) and ((path near3 find\$5) and topology)) and (@ad<20001108 or @rlad<20001108)) not (370.clas. and 709.clas. and (path near3 find\$5))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:51

-	490	"neural network" and ((path near3 (find\$5 or select\$5)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:52
-	45	"neural network" same ((path near3 (find\$5 or select\$5)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:52
-	1781	370/254,255,256.ccls. or 370/351,357,381.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 08:52
-	14	(370/254,255,256.ccls. or 370/351,357,381.ccls.) and "neural network"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 09:35
-	19	370.clas. and 709.clas. and "neural network"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 09:36
-	17	(370.clas. and 709.clas. and "neural network") not ((370/254,255,256.ccls. or 370/351,357,381.ccls.) and "neural network")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 09:36
-	1	6205122.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 11:33
-	9	6205122.URPN.	USPAT	2004/04/12 10:25
-	12	("5241625" "5297138" "5546540" "5606664" "5684796" "5706440" "5708772" "5710885" "5715396" "5734824" "5845081" "5850397").PN.	USPAT	2004/04/12 10:28
-	0	6339587.URPN.	USPAT	2004/04/12 10:33
-	0	6339587.URPN.	USPAT	2004/04/12 10:33
-	5	("5262906" "5513171" "5526414" "5590120" "5936951").PN.	USPAT	2004/04/12 10:41
-	45	5537394.URPN.	USPAT	2004/04/12 10:44
-	4	("5128926" "5163042" "5166927" "5347511").PN.	USPAT	2004/04/12 10:49
-	7	6067572.URPN.	USPAT	2004/04/12 10:53
-	11	("4967345" "5253161" "5444848" "5561790" "5583996" "5596719" "5596722" "5604868" "5634011" "5682479" "5729692").PN.	USPAT	2004/04/12 10:55
-	14	5561790.URPN.	USPAT	2004/04/12 11:03
-	12	("3735109" "4748660" "4864559" "4873517" "4905233" "4932021" "4987536" "5111413" "5191541" "5257200" "5297057" "5321815").PN.	USPAT	2004/04/12 11:13
-	5	3735109.URPN.	USPAT	2004/04/12 11:21
-	11	("4967345" "5253161" "5444848" "5561790" "5583996" "5596719" "5596722" "5604868" "5634011" "5682479" "5729692").PN.	USPAT	2004/04/12 11:25
-	3	6130875.URPN.	USPAT	2004/04/12 11:26
-	13	("4956835" "5093824" "5233604" "5435003" "5495471" "5537532" "5581689" "5623481" "5646936" "5812524" "5835482" "6021113" "6061735").PN.	USPAT	2004/04/12 11:26
-	12353	"processing element"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 11:33
-	63	"processing element" and (370/254,255,256.ccls. or 370/351,357,381.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 11:33

-	56	("processing element" and (370/254,255,256.cds. or 370/351,357,381.cds.)) and (@ad<20001108 or @riad<20001108)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 12:44
-	11	5263121.URPN.	USPAT	2004/04/12 11:42
-	4	5574827.URPN.	USPAT	2004/04/12 11:45
-	1	5720002.URPN.	USPAT	2004/04/12 11:46
-	2	5781701.URPN.	USPAT	2004/04/12 11:46
-	24	wight-mark\$.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 12:48
-	44	lindhorst\$.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 13:12
-	4	hassoun-mo\$.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 13:13
-	6	sanghvi-ash\$.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/12 13:13
-	1	6442147.URPN.	USPAT	2004/04/13 09:34
-	6	("5652751" "5732086" "5826169" "6137798" "6178169" "6310893").PN.	USPAT	2004/04/13 09:34
-	6	lozano-angel.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/13 11:18
-	1	6643269.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 08:18
-	1	6625643.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 08:18
-	1	6650646.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 08:18
-	3	6643269.pn. or 6625643.pn. or 6650646.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 13:13
-	3162	370.clas. and 709.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 13:13
-	11916	709/\$ and 370/\$	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 13:13
-	352	topology.cdm. and (709/\$ and 370/\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 13:13
-	156	topology.cdm. and (370.clas. and 709.clas.)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 13:14

-	18	(topology.cdm. and (370.clas. and 709.clas.)) and polling	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/14 13:14
-	42	(topology.cdm. and (709/\$ and 370/\$)) and polling	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:01
-	673	perlman.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:02
-	206	perlman.in. and rout\$	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:02
-	48	perlman.in. and rout\$ and topology	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:03
-	1	perlman.in. and rout\$ and topology and (connection near5 request)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:04
-	4	perlman.in. and (connection near5 request)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:05
-	2	perlman.in. and (path near4 (hunt or search or find))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:06
-	8	perlman.in. and (path with (hunt or search or find))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 08:06
-	9	perlman.in. and ((route or path) near5 (hunt or search or find))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/04/15 09:28